

Save, tag, and share your

favorite sites

Get company news

Share photos with your

sections:

Getting Started

Finance

Flickr™

Yahoo! User Interface Library



Controls produce visual, interactive user interface elements on the page with just a few lines of

code and an included CSS file. All the components in the Yahoo! User Interface Library have

help you create dynamic web applications with the Yahoo! UI Library. It contains these

been released as open source under a BSD license and are free for all uses.

These pages provide an overview of the Yahoo! UI Library as well as patterns and articles that

Nate Koechley @ Oracle User Experience April 17th, 2006


changing seasons



on the web




Web 1.0: Browser as Paper






Web 2.0: Browser As Platform





A Dramatic Transition






People expect less online.

But people are online...

... and tied to the browser. (for the most part)



http://www.flickr.com/photos/probek/44480413/






improve our technology

(need a robust platform!)

raise expectations

(so users are confident!)



from Heterogeneous Environments

{development}

to Compelling and Consistent APIs

from Implementation Models

{design}

to Mental Models



1] Meet properties where they are today. Facilitate incremental enhancement.

("Transitional Internet Applications")

2] Provide a broad, inclusive platform for Web 2.0's "Rich Internet Application" development

(a la carte, not framework)

3] Extensible and adaptive, to meet the needs of our diverse product portfolio

(lots of different needs)

4] Support all A-grade browsers - an evolving and still demanding challenge (Graded Browser Support)

5] Thrive under Yahoo!'s scale and scope (industrial grade)

6] Be **responsive** and accountable **to** our community of **designers** & **engineers** (your P1s are our P1s)



Alan Cooper's GUI design canon


ctrl-c = copy, ctr-z = undo

double-click, right-click, select


click, drag, keypress [idioms]

[compounds]

[primitives]




The Yahoo! User Interface Library




Task List

The check boxes have three states: unched finished), checked (all sub-tasks complete)

Expand all Collapse all





USER NEEDS TO

- ▶ NAVIGATE
- **▼ EXPLORE DATA**

Auto Complete

Calendar Picker

Pagination

Item Pagination

Search Pagination


- ORGANIZE DATA
- **▼ GIVE FEEDBACK**
 - Ratings & Reviews

Architecture Review

Rating an Object

Writing a Review

PERFORM ACTION







こんにちは、ゲストさん

ログイン

Yahoo!トラベル 海外航空券予約







<u>トップ > 海外航空券予約 > アメリカ、カナダ > アメリカ合衆国 > ヒューストン</u>

[PR] 癒しのニュージーランド旅行で豪華賞品&ボーナスマイルをゲット!

出発日別最安料金検索 出発日(当月を含む6か月以内)を選択すると、選択された出発日の前後3日間の最安料金を検索できます。

このリストから条件を指定して絞り込む 4月2006 5月2006 0 ・出発地: 指定なし 円以上 指定なし ▼ 円未満・座席クラス: □ ェコノミー □ ビジネス □ 10 11 12 13 14 15 16 15 16 17 18 19 20 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2		2005年 🗸 4月 🗸 19日 🗸	日作		後継び	STATE OF THE PARTY	٠4٦								1	×
・ 出発地: 指定なし V 円以上 指定なし V 円未満 27 28 29 30 31 1 2 1 2 3 4 5 6 7 8 9 8 9 10 11 12 13 14 15 16 15 16 17 18 19 20 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	このり	フストから条件を指定して絞り込む	1		4 F	1 20	06					5 <i>F</i>	∄ 20	106		0
・料金: 指定なし Y 円以上 指定なし Y 円未満 ・座席クラス: ロュコノミム ロジジネス ロ 10 11 12 13 14 15 16 15 16 17 18 19 20 2 ・旅行形態: Y 往復(帰国便変更不可) Y 往復 ・その他の条件: 面行便 カード決済可能 1 2 3 4 5 6 7 8 9 8 9 10 11 12 13 14 15 16 15 16 17 18 19 20 2 1 2 3 4 5 6 7 8 9 8 9 10 11 12 13 14 15 16 15 16 17 18 19 20 2 24 25 26 27 28 29 30 31 1 2 3 4 5 6 7 8 9 10 11 2 3 4		鬼從動· 接完於1	月	火	水	木	金	土	日	月	火	水	木	金	土	日
・座席クラス: コェコノミー ビジネス 10 11 12 13 14 15 16 15 16 17 18 19 20 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2			27	28	29	30	31	1	2	1	2	3	4	5	6	7
・旅行形態: 図 往復 (帰国便変更不可) 17 18 19 20 21 22 23 22 23 24 25 26 27 28 29 30 29 30 31 1 2 3 4 3 4 5 6 7 5 6 7 8 9 10 1 2 3 4 5 6 7 5 6 7 8 9 10 1 2 3 4 5 6 7 5 6 7 8 9 10 1 2 3 4 5 6 7 5 6 7 8 9 10 1 2 3 4 5 6 7 5 6 7 8 9 10 1 2 3 4 5 6 7 5 6 7 8 9 10 1 2 3 4 5 6 7 5 6 7 8 9 10 1 2 3 4 5 6 7 5 6 7 8 9 10 1 2 3 4 5 6 7 8 9 10 1 2 3 4 5 6 7 8 9 10 1 2 3 4 5 6 7 8 9 10 1 2 3 4 5 6 7 8 9 10 1 2 3 4 5 6 7 8 9 10 1 2 3 4 5 6 7 8 9 10 1 2 3 4 5 6 7 8 9 10 1 2 3 4 5 6 7 8 9 10 1 2 3 4 5 6 7 8 9 10 1 2 3 4 5 6 7 8 9 10 1 2 3 4 5 6 7 8 9 10 1 2 3 4 5 6 7 8 9 10 1 2 3 4 5 6 7 8 9 10 1 2 3 4 5 6 7 8 9 10 1 2 3 4 5 6 7 8 9 10 1 2 3 4 5 6 7 8 9 10 1 2 3 4 5 6 7 8 9 10 1 2 3 4 5 6 7 8 9 10 1 2 3 4 6 7 8 9 10 1 2 3 4 7 8 9 10 1 2 3 4 7 8 9 10 1 2 3 4 7 8 9 10 1 2 3 4 8		料金: 指定なし 🕶 円以上 指定なし 🕶 円未満	3	4	5	6	7	8	9	8	9	10	11	12	13	14
・ 旅行形態: 文 往復(帰国便変更不可) 文 往復 ・ 永の他の条件: 直行便 カード決済可能 1 2 3 4 5 6 7 5 6 7 8 9 10 11		座席クラス: 🔲 ェコノミー 🔲 ビジネス 🔲	10	11	12	13	14	15	16	15	16	17	18	19	20	21
- テの他の条件: □ 直行便 □ カード決済可能 1 2 3 4 5 6 7 5 6 7 8 9 10 1			17	18	19	20	21	22	23	22	23	24	25	26	27	28
		M 17 16 26 ・ □ 住傷 (帰国関変更不明) □ 住傷	24	25	26	27	28	29	30	29	30	31	1	2	3	4
	-	その他の条件: □ 直行便 □ カード決済可能 · 会、予約可能	1	2	3	4	5	6	7	5	6	7	8	9	10	11

ヒューストン: 1521件 (1~20件目)

※表示されている料金には、選続するラライトや日程によって選生する適加料金、出入国税、空港総数使用料 などの料金は含まれてあり変せん。第コースの詳細画面でご確認ください。

DOM Utility

DOM > YAHOO.util.Dom

- Tree View
- Element Index

Classes

YAHOO.util.Dom YAHOO.util.Point YAHOO.util.Region

Files

Dom.js Region.js

Class YAHOO.util.Dom

```
Object
|
+--YAHOO.util.Dom
```

class YAHOO.util.Dom

Quick Links: Constructor Summary | Method Summary | Constructor Details | Method Details

Method Summary [top]

HTMLElement	get (e1) Returns an HTMLElement reference
Int	getClientHeight () Returns the height of the client (viewport).
Int	getClientWidth () Returns the width of the client (viewport).
Region	getRegion (e1) Returns the region position of the given element.
String	getStyle (el, <string> property) Normalizes currentStyle and ComputedStyle.</string>
Object	getX (e1) Gets the current X position of an element based on page coordinates.
Region String	Returns the width of the client (viewport). getRegion (el) Returns the region position of the given element. getStyle (el, <string> property) Normalizes currentStyle and ComputedStyle. getX (el)</string>

getRegion

Region getRegion (el)

Returns the region position of the given element. The element must be part of the DOM tree to have a region (display:none or elements not appended return false).

Parameters:

string - | HTMLElement Accepts either a string to use as an ID for getting a DOM reference, or an actual DOM reference.

Returns:

A Region instance containing "top, left, bottom, right" member data.

getStyle

String getStyle (el, <String> property)

Normalizes currentStyle and ComputedStyle.

Parameters:

property - The style property whose value is returned.
String - | HTMLElement} Accepts either a string to use as an ID for getting a DOM reference, or an actual DOM reference.

Returns:

The current value of the style property.

getXY

Object getXY (el)

Gets the current position of an element based on page coordinates. Element must be part of the DOM tree to have page coordinates (display:none or elements not appended return false).

Parameters:

String - | HTMLElement Accepts either a string to use as an ID for getting a DOM reference or an actual DOM reference



Drag and Drop

Drag and Drop > Element Index

- Tree View
- Element Index

Classes

YAHOO.util
YAHOO.util.DD
YAHOO.util.DDProxy
YAHOO.util.DDTarget
YAHOO.util.DragDrop
YAHOO.util.DragDropMgr

Files

DD.js DDProxy.js DDTarget.js DragDrop.js DragDropMgr.js

Element Index

<u>ABCDEFG!LMOPRSIUVXY</u>

Α

addInvalidHandleType(tagName) - Instance method in class <u>YAHOO.util.DragDrop</u>
addToGroup(sGroup) - Instance method in class <u>YAHOO.util.DragDrop</u>
alignElWithMouse(el, iPageX, iPageY) - Instance method in class <u>YAHOO.util.DD</u>
autoOffset(iPageX, iPageY) - Instance method in class <u>YAHOO.util.DD</u>

В

b4Drag(e) - Instance method in class <u>YAHOO.util.DD</u>
b4MouseDown(e) - Instance method in class <u>YAHOO.util.DD</u>
b4MouseDown(e) - Instance method in class <u>YAHOO.util.DDProxy</u>
borderWidth - Instance field in class <u>YAHOO.util.DDProxy</u>

C

cachePosition(iPageX, iPageY) - Instance method in class <u>YAHOO.util.DD</u>

centerFrame - Instance field in class <u>YAHOO.util.DDProxy</u>

clickPixelThresh - Instance field in class <u>YAHOO.util.DragDropMgr</u>

```
/**
* Sets up the DragDrop object. Must be called in the constructor of any
* YAHOO.util.DragDrop subclass
* Oparam id the id of the linked element
* Oparam (String) sGroup the group of related items
* element is supposed to be a target only, set to false.
 本人。
init: function(id, sGroup) {
    this.initTarget(id, sGroup);
   YAHOO.util.Event.addListener(id, "mousedown",
                                      this.handleMouseDown, this, true);
},
100
* Initializes Targeting functionality only... the object does not
* get a mousedown handler.
* @param id the id of the linked element
* Oparam (String) sGroup the group of related items
* element is supposed to be a target only, set to false.
# /
initTarget: function(id, sGroup) {
   // create a local reference to the drag and drop manager
    this.DDM = YAHOO.util.DDM:
    // create a logger instance
    this.logger = new yqLogger("DragDrop");
    // set the default padding
    this.padding = [0, 0, 0, 0];
```



Note! Good experiences aren't plugged in...

... they are crafted by thinking about **people**, <u>Nот</u> **technology**

Developers can provide powerful primitives and sophisticated compounds...

but designers create idioms and love



YUI Library 2/06 Open Source Release

Released on YDN under wide-open BSD license



Yahoo! UI Library

<u>Home</u>

del.icio.us

Save, tag, and share your favorite sites

Finance

Get stock quotes, company news

Flickr™

Share photos with your friends

HotJobs

Find a great job

Maps

Yahoo! User Interface Library

The Yahoo! User Interface Library is a set of utilities and controls, a building richly interactive web applications using techniques such a and AJAX. The UI Library Utilities facilitate the implementation of ri enhancing and normalizing the developer's interface to important ele infrastructure (such as events, in-page HTTP requests and the DO! Controls produce visual, interactive user interface elements on the code and an included CSS file. All the components in the Yahoo! U been released as open source under a BSD license and are free for

These pages provide an overview of the Yahoo! UI Library as well a help you create dynamic web applications with the Yahoo! UI Librar sections:

Getting Started Licensing

YUI Library 2/06 Open Source Release

Released on YDN under wide-open BSD license



YUI Library 2/06 Open Source Release

Released on YDN under wide-open BSD license

- Good press from key influencers: WaSP, DOM Scripting Task Force, O'Reilly Radar, Slashdot, Boing Boing, many more
- Top entry on delicious, high profile on Technorati
- Exponential spike in YDN traffic during release
- >36K downloads of library in first two weeks
- YDN-javascript group membership: ~1000



DOM API support group meets Tuesdays







NEWS PODCASTS

SHOWCASES

RESOURCES

CONFERENCE

JOBS



FOPICS

NET (24)

Accesibility (14)

Ajax (149)

Articles (63)

Books (3)

Browsers (24)

Builds (3)

Thursday, February 16th, 2006

Yahoo! does Ajax - Javase libraries and Patterns

Category: Library , Prototype , Dojo , Yahool

Over on SitePoint today, in the DHTML & CSS blog section, Kevin'

post that talks about some of the Javascript libraries, including the
offerings.



JavaScript is hard, but it could be a lot harder. These days, tools can actually be most of the work.

Today, the poster children of web application success consist beefy and interdependent JavaScript files with a light dustin CSS. With JavaScript codebases easily outweighing markup



« Web Apps: Single Point of Subpoena | Main | Digital Film »

Yahoo! Open Sources UIs and Design Patterns

By nat on February 13, 2006

Kudos to Yahoo!, who today released two pieces of goodness into the commons. The first is their UI library, and the second is their Design Patterns Library. The UI Library is a collection of DHTML/Ajax/Javascript (pick your favourite term) controls and widgets. The Design Patterns Library is "intended to provide Web designers prescriptive guidance to help solve common design problems on the Web". I swear I didn't know they were going to do this when I wrote "I'd like to see some HIGs for Ajax interfaces" yesterday, but boy am I impressed! Best of all, Yahoo! gets open source licenses: the UI library is BSD and the Design Pattern library is Creative Commons Attribution 2.5.

Tags: yahoo ajax ui




Yahoo is the new Google

I feel like I've been saying this a lot lately, but while Google seems to be <u>faltering at nearly every step</u>, Yahoo is doing lots of little things that I think will have a big reward soon. Such as releasing their <u>UI Library</u> and their <u>Design Pattern Library</u>. Obviously this isn't something you are going to be interested in unless you are a web developer, but if you are it's a pretty exciting release. The UI Library includes your standard animation effects, AJAX calls, and also a really polished calendar that took me about 20 seconds to incorporate into a web app I'm working on. Everything has been released with a BSD license, which means you can use it for anything anywhere.

Technorati Tags: web2.0 ajax yahoo google

Posted Monday, February 13, 2006



Chris' Insytes

This is simply a place where I can share my Insytes about new trends from them. I see the world from a very holistic perspective, sitting at technology and communications. Here you can also learn with me as w Knowledge Economy really looks like as it emerges before our eyes.

TUESDAY, FEBRUARY 14, 2006

Yahoo! 'gets' Web 2.0 and then some...

In another significant move pointing to the deep smarts resident at Yahoo!, Yahoo! has opened up its <u>Design Patterns and User Interface</u>
<u>Libraries</u>. Whenever <u>Nate</u> has his head down for 14 hours each day over several weeks, we know something cool is going to come from it, but this is even bigger than I could have imagined (and I have a pretty big imagination).

So why is this such a big deal? In simple terms, it means you can now



æ

shelf

acclaimed by many and now veral thousand people, is a to keep up with news and usability, development, the Web 2.0.

be to our blog

Yahoo! releases UI and Design Patterns

Posted by Fred, February 14, 9 comments

Yahoo! keeps showing the world how much they get web 2.0. This time, they've done the unexpected and opened the sources to the UI library (that includes visual effects, connection handlers - think ajax -, dom handlers, and drag-and-drop controls) under a BSD license. Also, they're now sharing their design



patterns under a Creative Commons license.

Yahoo! UI library Yahoo! Design Patterns

This is clearly celebration time for the online development community and open source movements. Big players embracing the need for open standards - thus stimulating innovation instead of re-invention - are definitely something we need more of. Excellent! [via O'Reilly Radar]

YAHOO! DEVELOPERS: SETTING A STANDARD FOR THE NEW PROFESSIONALISM

In an article published Monday, February 13, 2006, Yahoo! Senior Web Devel outlines the Yahoo! concept of Graded Browser Support.

The approach is a work of art so beautiful and sensible it literally made me ongoing discussion regarding a new professionalism for Web desig clear that the approach that Koechley outlines is not only logical and simple, b practical.

One of the most powerful aspects of the document is it approaches the entisupport for sites from an enlightened point of view. Instead of calling out any g problematic and focusing on how to manage it, Koechley points to the nature of encouraging us to work within that context:

"Expecting two users using different browser software to have an identical of

In the Design Pattern library, they've outlined several solincluding breadcrumbing, object pagination, and autocom practices with lots of information on why they've impleme haven't even had a chance to look through all of these ye accessibility issues and should be an incredibly useful set to implement something that they've already researched.

Yahoo! makes me smile. They've even got a companion t

[via O'Reilly Radar]

This entry was posted on Tuesday, February 14th, 2006 at 2:04 am and is filed in responses to this entry through the RSS 2.0 feed. You can leave a response, or the

<前の日 | 次の日>

2006-02-24 Yahoo! Ul Library でお勉強

Ajaxの主役 オブジェクト のXMLHttpRequestを生成するときに Yahoo! UI Libraryのconnection.jsの手法はなるほどという感じ createXhrObjectというfunction内の話ですが、まず XMLHttpl

```
http = new XMLHttpRequest();
```

失敗してcatchブロックに入ると、ActiveXObjectをnewして頑張

```
http = new ActiveXObject(this._msxml_progid[i]);
obj = { conn:http, tId:transactionId };
```

Chris Wortolk's Blog

Chris's official blog, replacement for Nerd Fed

« Mp3 player problems

Don't control my windo

Yahoo are pretty nice guys

Recently I was in a conversation where someone said that Google was as the non-evil alternative to Yahoo. I have never considered this the I have always thought (and thought many others shared the same I that Yahoo is the non-evil alternative to MSN.



3 Grades of Browser Support

A-grade support (advanced support)

C-grade support (core support)

X-grade support (the X-Factor)

 http://developer.yahoo.com/yui/articles/gb s/gbs.html

	Win 98	Win 2000	Win XP	Mac 10.0	Mac 10.2	Mac 10.3	Mac 10.3.x	Mac 10.4
IE 7.0	n/a	n/a	A-grade	n/a	n/a	n/a	n/a	n/a
IE 6.0	A-grade	A-grade	A-grade	n/a	n/a	n/a	n/a	n/a
IE 5.5	A-grade	A-grade	n/a	n/a	n/a	n/a	n/a	n/a
IE 5.0	C-grade	C-grade	n/a	C-grade	C-grade	C-grade	C-grade	C-grade
Netscape 8.0	X-grade	X-grade	A-grade	n/a	n/a	n/a	n/a	n/a
Firefox 1.5	A-grade	A-grade	A-grade	A-grade	A-grade	A-grade	A-grade	A-grade
Firefox 1.0.7	A-grade	A-grade	A-grade	A-grade	A-grade	A-grade	A-grade	A-grade
Mozilla 1.7.12	X-grade	X-grade	A-grade	X-grade	X-grade	X-grade	X-grade	X-grade
Opera 8.5	X-grade	X-grade	A-grade	C-grade	C-grade	C-grade	X-grade	X-grade
Safari 1.0	n/a	n/a	n/a	X-grade	n/a	n/a	n/a	n/a
Safari 1.1	n/a	n/a	n/a	X-grade	X-grade	n/a	n/a	n/a
Safari 1.2	n/a	n/a	n/a	X-grade	X-grade	X-grade	n/a	n/a
Safari 1.3	n/a	n/a	n/a	n/a	n/a	X-grade	A-grade	n/a
Safari 2.0	n/a	n/a	n/a	n/a	n/a	n/a	n/a	A-grade

