

# Getting Loaded


Easier development. Better performance.

# Get & Loader

Easier development. Better performance.


# The Problems

**JavaScript loading  
blocks page rendering.**



**More files increases blocking.**

Resource	Source	Size	Time
load-sequenc	nate.koechley.com	371 b	6ms
oop-min.js	yui.yahooapis.com	920 b	49ms
event-min.js	yui.yahooapis.com	8 KB	24ms
dom-min.js	yui.yahooapis.com	8 KB	27ms
node-min.js	yui.yahooapis.com	3 KB	16ms
attribute-min	yui.yahooapis.com	2 KB	10ms
base-min.js	yui.yahooapis.com	2 KB	9ms
7 requests		23 KB (23 KB from cache)	197ms
7 requests		53 KB (53 KB from cache)	100ms
pragm-min.js	api.jquery.com	5 KB	2ms
attribute-min	api.jquery.com	5 KB	10ms



**We know a single file is best:**

# Best Practices for Speeding Up Your Web Site

The Exceptional Performance team has identified a number of best practices for making web pages fast. The list includes 34 best practices divided into 7 categories.

Filter by category: [Content](#) | [Server](#) | [Cookie](#) | [CSS](#) | [Javascript](#) | [Images](#) | [Mobile](#) | [All](#)

## Minimize HTTP Requests

tag: content

80% of the end-user response time is spent on the front-end. Most of this time is tied up in downloading all the components in the page: images, stylesheets, scripts, Flash, etc. Reducing the number of components in turn reduces the number of HTTP requests required to render the page. This is the key to faster pages.

One way to reduce the number of components in the page is to simplify the page's design. But is there a way to build pages with a lot of content while also achieving fast response times? Here are some techniques for reducing the number of components in the page to simplify the page's design. But is there a way to reduce the number of HTTP requests required to render the page? This is the key to faster pages. Reducing the number of components in the page: images, stylesheets, scripts, Flash, etc. Reducing the number of components in turn

**RECENT BLOG ARTICLES**  [view all](#)

**YSlow 2.0 early preview in China**  
Sun, 28 Dec 2008

**YUI Theater — Douglas Crockford: "Ajax Performance"**  
Tue, 23 Dec 2008

**YUI Theater — Nicole Sullivan: "Design Fast Websites (Don't Blame the Rounded Corners)"**  
Tue, 23 Dec 2008

**Image Optimization, Part 5: AlphaImageLoader**  
Mon, 08 Dec 2008

Mon, 08 Dec 2008

**AlphaImageLoader**

**Image Optimization, Part 5:**

**But in practice...**

**Widgets & Plugins may  
have various prerequisites.**

```
<script src="jquery/jquery-1.2.2.pack.js"/>  
<script src="jquery/chili/chili.js"/>  
<script src="jquery.cookie.js"/>  
<script src="jquery.clickmenu.pack.js"/>  
<script src="jquery.columnmanager.js"/>
```

```
<script src="yahoo-dom-event.js"/>  
<script src="element-min.js"/>  
<script src="connection-min.js"/>  
<script src="tabview-min.js"/>
```


**Sites often use multiple  
unrelated JavaScript files.**

```
<script src="prototype.js"/>  
<script src="scriptaculous.js"/>  
<script src="csiManager.js"/>  
<script src="StorageManager.js"/>  
<script src="main.js"/>  
<script src="urchin.js">
```

**Larger projects use  
multiple files for  
flexibility & optimization**

```
<script src="yui-base.js"/>  
<script src="oop.js"/>  
<script src="event.js"/>  
<script src="attribute.js"/>  
<script src="base.js"/>  
<script src="dom.js"/>  
<script src="node.js"/>  
<script src="widget.js"/>  
<script src="dd.js"/>  
<script src="slider/slider.js/">
```

```
<script src="dd.js"/>
```



**dd-ddm-base**

**dd-ddm**

**dd-drag**

**dd-proxy**

**dd-constrain**

**dd-drop**

**dd-plugin**

**dd-drop-plugin**

**Most files are  
order-dependent.**

**Other files aren't  
needed right away.**

Yahoo!

http://www.yahoo.com/

Disable Cookies CSS Forms Images Information Miscellaneous Outline Resize Tools View Source Options

der w... The YUI Glo... The YUI Glo... http://...der.js The IO Utility The Get Utility http://...yui.js http://...yui.js Yahoo!

Mexico Air + Hotel Specials from Yahoo! Travel

# YAHOO!

Web Images Video Local Shopping more

Search:  Web Search

Yahoo! Home My Yahoo! Mar 13, 2009 Page Options

**Answers**

**Autos**

**Finance**

**Flickr**

**Games**

**Groups**

**HotJobs**

**Maps**

**Mobile Web**

**Movies | TV**

**Music**

**OMG**

**Personals**

**Real Estate**

**Shine**

**Shopping**

**Sports**

**Travel**

**Yellow Pages**

**More Yahoo! Services**

**Small Business**

- Get a Web Site
- Domain Names
- Sell Online

**Featured** Entertainment Sports Video

**Anderson's runway debacle**  
 Pamela Anderson shocks the catwalk in an outrageous polka-dotted dress.  
 » See the outfit that turned heads  
 Watch Pamela walk the runway  
 Elle Macpherson's red-hot look

Check out Pamela's trash-bag-looking dress  
 Couple finds stowaway surprise in bargain couch  
 10 worst high-calorie, high-fat foods  
 One governor plans to reject stimulus millions

» More: **Featured** | **Buzz**

**News** World Local Finance

As of 11:20 p.m. PDT

- Madoffs were worth more than \$823M, documents show
- Upbeat Obama touts new economic model for recovery
- Investigator uses phony documents to get passports
- Obama admin. to end use of term 'enemy combatant'
- Ten children mistakenly drink wiper fluid at Ark. day care
- Archaeologists uncover Mayan carvings from 300 B.C.
- Remains of 16th-century 'vampire' found in Venice
- NBA · NCAA Hoops · NHL · MLB · WBC · NFL · Golf

» More: **News** | **Popular** | **Odd News**

Markets: **Dow: +0.8%** **Nasdaq: +0.4%** Sponsored by: **Scottrade**

**Marketplace**

Save Up To 75% On Cruises

Hi, Nate [Sign Out](#)

**Mail** **Messenger** **Puzzles**

**Weather** **Events** **Horoscopes**

San Francisco, CA [Change Location](#)

**Today** Partly Cloudy  
H: 60° L: 47°

**Tomorrow** Mostly Cloudy  
H: 57° L: 52°

» Get Weather On Your Cell » **Extended Forecast**

**Average Auto Insurance Cost: \$69/Mo.**  
 Think You Pay Too Much? Find Out!

Click Your State

Alabama  
 Alaska  
 Arizona  
 Arkansas  
 California

LowerMyBills.com **Calculate New Payment**

Ad Feedback


YUI Found!  
 0 linked files  
 3 modules

Find:  full [Next](#) [Previous](#)  Highlight all  Match case

http://www.yahoo.com/r/wb/-http://weather.yahoo.com/forecast/USCA0987\_f.html

1 Error

And it's nice to easily toggle  
between `-raw.js`, `-min.js`,  
and `-debug.js` versions.



three flavors of each

```

128  /**
129   * Subscriber listener signature constant. The FLAT type returns two
130   * parameters: the first argument passed to fire and the optional
131   * custom object
132   * @property YAHOO.util.CustomEvent.FLAT
133   * @static
134   * @type int
135   */
136  YAHOO.util.CustomEvent.FLAT = 1;
137
138  YAHOO.util.CustomEvent.prototype = {
139
140      /**
141       * Subscribes the caller to this event
142       * @method subscribe
143       * @param {Function} fn      The function to execute
144       * @param {Object}  obj      An object to be passed along when the event
145       *                          fires
146       * @param {boolean|Object} override If true, the obj passed in becomes
147       *                          the execution scope of the listener.
148       *                          if an object, that object becomes the
149       *                          the execution scope.
150       */
151      subscribe: function(fn, obj, override) {
152
153          if (!fn) {
154              throw new Error("Invalid callback for subscriber to '" + this.type + "'");
155          }
156      }
157  };

```

fully-commented

```
242     if (this.signature == YAHOO.util.CustomEvent.FLAT) {
243         var param = null;
244         if (args.length > 0) {
245             param = args[0];
246         }
247
248         try {
249             ret = s.fn.call(scope, param, s.obj);
250         } catch(e) {
251             this.lastError = e;
252             YAHOO.log(this + " subscriber exception: " + e,
253                 "error", "Event");
254         }
255     } else {
256         try {
257             ret = s.fn.call(scope, this.type, args, s.obj);
258         } catch(e) {
259             this.lastError = e;
260             YAHOO.log(this + " subscriber exception: " + e,
261                 "error", "Event");
262         }
263     }
264     if (false === ret) {
265         if (!this.silent) {
266             YAHOO.log("Event cancelled, subscriber " + i +
267                 " of " + len, "info", "Event");
268         }
269     }
```

-debug with logging

```

    "+this.type+"");if(this.subscribeEvent){this.subscribeEvent.fire(B,C,A);}this.subscr
ibers.push(new YAHOO.util.Subscriber(B,C,A));},unsubscribe:function(D,F){if(!D){return
this.unsubscribeAll();}var E=false;for(var B=0,A=this.subscribers.length;B<A;++B){var
C=this.subscribers[B];if(C&&C.contains(D,F)){this._delete(B);E=true;}}return
E;},fire:function(){var D=this.subscribers.length;if(!D&&this.silent){return true;}var
G=[],F=true,C,H=false;for(C=0;C<arguments.length;++C){G.push(arguments[C]);}if(!this.si
lent){}for(C=0;C<D;++C){var
K=this.subscribers[C];if(!K){H=true;}else{if(!this.silent){}var
J=K.getScope(this.scope);if(this.signature==YAHOO.util.CustomEvent.FLAT){var
A=null;if(G.length>0){A=G[0];}try{F=K.fn.call(J,A,K.obj);}catch(E){this.lastError=E;}e
lse{try{F=K.fn.call(J,this.type,G,K.obj);}catch(E){this.lastError=E;}}if(false===F){if(!
this.silent){}return false;}}if(H){var
I=[],B=this.subscribers;for(C=0,D=B.length;C<D;C=C+1){I.push(B[C]);}this.subscribers=I;
}return true;},unsubscribeAll:function(){for(var
B=0,A=this.subscribers.length;B<A;++B){this._delete(A-1-B);}this.subscribers=[];return
B;},_delete:function(A){var B=this.subscribers[A];if(B){delete B.fn;delete
B.obj;}this.subscribers[A]=null;},toString:function(){return"CustomEvent:
"+this.type+"", scope:
"+this.scope;}};YAHOO.util.Subscriber=function(B,C,A){this.fn=B;this.obj=YAHOO.lang.isU
ndefined(C)?null:C;this.override=A;};YAHOO.util.Subscriber.prototype.getScope=function(A
){if(this.override){if(this.override===true){return this.obj;}else{return
this.override;}}return
A;};YAHOO.util.Subscriber.prototype.contains=function(A,B){if(B){return(this.fn==A&&thi
s.obj==B);}else{return(this.fn==A);}};YAHOO.util.Subscriber.prototype.toString=function(
){return"Subscriber { obj: "+this.obj+", override: "+(this.override||"no")+
"}";};if(!YAHOO.util.Event){YAHOO.util.Event=function(){var H=false;var I=[];var
J=[];var G=[];var E=[];var C=0;var F=[];var B=[];var A=0;var
D={63232:38,63233:40,63234:37,63235:39,63276:33,63277:34,25:9};return{POLL_RETRYS:4000,
POLL_INTERVAL:10,EL:0,TYPE:1,FN:2,WFN:3,UNLOAD_OBJ:3,ADJ_SCOPE:4,OBJ:5,OVERVERRIDE:6,lastEr
ror:null,isSafari:YAHOO.env.ua.webkit,webkit:YAHOO.env.ua.webkit,isIE:YAHOO.env.ua.ie,_i
nterval:null,_dri:null,DOMReady:false,startInterval:function(){if(!this._interval){var

```

-min for deployment

**So, our goals:**

# Features

- **Handle prerequisites without duplication**
- **Manage order dependency**
- **Per-module flexibility**
- **Fast toggling between flavors**
- **Continue fetching onDemand**
- **Minimize HTTP requests  
and not block rendering**

**That's what YUI's Get  
& Loader Utilities do.**

**They're partners.**

**Loader**

**Get**

**Loader**

**Get**

**Combo  
Handler**

## Loader

The "seed" file.

Meta data.

Config options.

Helpers/Sugar.

## Get

Creates new  
nodes & src's.

Non-blocking.

Cross-domain.

GET not POST.

## Combo

Parses request.

Concats modules  
if first.

Edge-caches.

# Loads anything:

- Library files
- Your own files
- JS, CSS, JSON, ...
- Urchin.js, badges, includes, ...

**Easily define your resources**

```
// one or more external modules  
// that can be loaded along side of YUI
```

```
modules: {  
  json_org: {  
    fullpath: "http://www.json.org/json.js"  
  },  
  json2_org: {  
    fullpath: "http://www.json.org/json2.js"  
  }  
}
```

**And their relationships**

```
modules: {
  dom: {
    requires: ['event'],
    submodules: {
      'dom-base': {
        requires: ['event']
      },
      'dom-style': {
        requires: ['dom-base']
      },
      'dom-screen': {
        requires: ['dom-base', 'dom-style']
      },
      selector: {
        requires: ['dom-base']
      }
    }
  },
},
```

**With fine-grained control**

name

type

path

fullpath

requires

optional

supersedes

after

rollup

**Once the seed is on  
the page:**

```
<script src="yui-min.js"/>
<script>
  YUI().use("slider", function(Y) {
    // Slider available and ready for use.
  });
</script>
```

**Other cool features  
in Get:**

**Choose where the nodes go.**

**Purge After Reading**

# Benefits

- **Easy to use.**
- **No typos. Less to manage.**
- **Much faster performance.**
- **Extensive flexibility.**
- **Nice support for lazy-loading.**
- **Library agnostic.**

[developer.yahoo.com/yui/3/yui/#loader](http://developer.yahoo.com/yui/3/yui/#loader)  
[developer.yahoo.com/yui/3/get/](http://developer.yahoo.com/yui/3/get/)

[nate@koechley.com](mailto:nate@koechley.com)